

## **DETAILED ACTION**

### ***Drawings***

1. Figure 1 should be designated by a legend such as --Prior Art-- because only that which is old is illustrated. See MPEP § 608.02(g). Corrected drawings in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. The replacement sheet(s) should be labeled "Replacement Sheet" in the page header (as per 37 CFR 1.84(c)) so as not to obstruct any portion of the drawing figures. If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

### ***Claim Rejections - 35 USC § 102***

2. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

3. Claims 1, 6 and 11 are rejected under 35 U.S.C. 102(b) as being anticipated by WO 01/73245. Applicant's arguments have been considered but are not deemed persuasive for the reasons of record. Applicant argues that the valve in the reference "would not be enough to alter the operating parameters of the inflatable body" and that inflating or deflating the body by using the valve is not the same as altering the pressure in the body mechanically or pneumatically. However, this is not convincing. Clearly,

Art Unit: 1794

inflating or deflating the inflatable body by using a valve, as disclosed in the reference, meets the instant claim limitation of altering the pressure of the inflatable body mechanically or pneumatically.

***Claim Rejections - 35 USC § 103***

4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

5. Claim 7 is rejected under 35 U.S.C. 103(a) as being unpatentable over WO 01/73245 in view of Melou 5,539,942. Applicant's arguments have been considered but are not deemed persuasive for the reasons of record and for the same reasons as set forth above in paragraph 3.

***Double Patenting***

6. The terminal disclaimer filed on 10/6/08 disclaiming the terminal portion of any patent granted on this application which would extend beyond the expiration date of 7,293,412 has been reviewed and is not accepted. An attorney or agent, not of record, is not authorized to sign a terminal disclaimer in the capacity as an attorney or agent acting in a representative capacity as provided by 37 CFR 1.34 (a). See 37 CFR 1.321(b) and/or (c).

7. Claims 1, 2, 4, 6, 7 and 11 are rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over claims 1-18 of U.S.

Patent No. 7,293,412. Although the conflicting claims are not identical, they are not patentably distinct from each other for the reasons of record.

***Allowable Subject Matter***

8. Claims 3 and 5 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

***Conclusion***

9. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Alexander Thomas whose telephone number is 571-272-1502. The examiner can normally be reached on 6:30-4:00 M-THUR.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Rena Dye can be reached on 571-272-3186. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Alexander Thomas/  
Primary Examiner  
Art Unit 1794